



# Pfizer and BioNTech Announce Phase 3 Trial Data Showing High Efficacy of a Booster Dose of Their COVID-19 Vaccine

Thursday, October 21, 2021 - 06:45am

.q4default .bwalignc { text-align: center; list-style-position: inside }.q4default .bwlistcircle { list-style-type: circle }.q4default .bwlistdisc { list-style-type: disc }.q4default .bwlistsquare { list-style-type: square }.q4default .bwuline { text-decoration: underline }

First results from any randomized, controlled COVID-19 vaccine booster trial demonstrate a relative vaccine efficacy of 95.6% against disease during a period when Delta was the prevalent strain. In a trial with more than 10,000 participants 16 years of age and older, COVID-19 booster was found to have a favorable safety profile. Companies plan to submit these data to FDA, EMA and other regulatory agencies to further support licensure in the U.S. and other countries.

NEW YORK & MAINZ, Germany--(BUSINESS WIRE)-- Pfizer Inc. (NYSE: PFE) and BioNTech SE (Nasdaq: BNTX) today announced topline results from a Phase 3 randomized, controlled trial evaluating the efficacy and safety of a 30-µg booster dose of the Pfizer-BioNTech COVID-19 Vaccine in more than 10,000 individuals 16 years of age and older. In the trial, a booster dose administered to individuals who previously received the Pfizer-BioNTech primary two-dose series restored vaccine protection against COVID-19 to the high levels achieved after the second dose, showing a relative vaccine efficacy of 95.6% when compared to those who did not receive a booster. These are the first efficacy results from any randomized, controlled COVID-19 vaccine booster trial.

This press release features multimedia. View the full release here:  
<https://www.businesswire.com/news/home/20211021005491/en/>

“These results provide further evidence of the benefits of boosters as we aim to keep people well-protected against this disease,” said Albert Bourla, Chairman and Chief Executive Officer, Pfizer. “In addition to our efforts to increase global access and uptake among the unvaccinated, we believe boosters have a critical role to play in addressing the ongoing public health threat of this pandemic. We look forward to sharing these data with health authorities and working together to determine how they can be used to support the rollout of booster doses around the world.”

“These important data add to the body of evidence suggesting that a booster dose of our vaccine can help protect a broad population of people from this virus and its variants,” said Ugur Sahin, M.D., CEO and Co-Founder of BioNTech. “Based on these findings we believe that, in addition to broad global access to vaccines for everyone, booster vaccinations could play an important role in sustaining pandemic containment and a return to normalcy.”

All trial participants previously completed the primary two-dose series of the Pfizer-BioNTech vaccine, and then were randomized 1:1 to receive either a 30- $\mu$ g booster dose (the same dosage strength as those in the primary series) or placebo. The median time between second dose and administration of the booster dose or placebo was approximately 11 months. Symptomatic COVID-19 occurrence was measured from at least 7 days after booster or placebo, with a median follow-up of 2.5 months. During the study period, there were 5 cases of COVID-19 in the booster group, and 109 cases in the non-boosted group. The observed relative vaccine efficacy of 95.6% (95% CI: 89.3, 98.6) reflects the reduction in disease occurrence in the boosted group versus the non-boosted group in those without evidence of prior SARS-CoV-2 infection. Median age of participants was 53 years, with 55.5% of participants between 16 and 55 years, and 23.3% of participants 65 years and older. Multiple subgroup analyses showed efficacy was consistent irrespective of age, sex, race, ethnicity, or comorbid conditions.

The adverse event profile was generally consistent with other clinical safety data for the vaccine, with no safety concerns identified.

Pfizer and BioNTech plan to submit detailed results from the trial for peer-reviewed publication. The companies also plan to share these data with the U.S. Food and Drug Administration, European Medicines Agency, and other regulatory agencies around the world as soon as possible.

On September 22, 2021, a booster dose of the Pfizer-BioNTech COVID-19 Vaccine was authorized for emergency use by the U.S. FDA for individuals 65 years of age and older,

individuals 18 through 64 years of age at high risk of severe COVID-19, and individuals 18 through 64 years of age with frequent institutional or occupational exposure to SARS-CoV-2. On October 20, 2021, a booster dose of the vaccine also was authorized for emergency use by the U.S. FDA in eligible individuals who have completed a primary vaccination with a different authorized COVID-19 vaccine. In addition, a booster dose of the vaccine is authorized in the European Union and other countries, with recommendations for populations varying based on local health authority guidance.

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech's proprietary mRNA technology, was developed by both BioNTech and Pfizer. BioNTech is the Marketing Authorization Holder in the United States, the European Union, the United Kingdom, Canada and the holder of emergency use authorizations or equivalents in the United States (jointly with Pfizer) and other countries. Submissions to pursue regulatory approvals in those countries where emergency use authorizations or equivalent were initially granted are planned.

**U.S. Indication & Authorized Use HOW IS THE VACCINE GIVEN?** The vaccine will be given to you as an injection into the muscle.

**Primary Series:** The vaccine is administered as a 2-dose series, 3 weeks apart. A third dose may be administered at least 4 weeks after the second dose to individuals who are determined to have certain kinds of immunocompromise.

**Booster Dose:**

A single booster dose of the vaccine may be administered to individuals: 65 years of age and older 18 through 64 years of age at high risk of severe COVID-19 18 through 64 years of age with frequent institutional or occupational exposure to SARS-CoV-2 A single booster dose may be administered to eligible individuals who have completed primary vaccination with a different authorized COVID-19 vaccine. Booster eligibility and schedule are based on the labeling information of the vaccine used for the primary series.

**WHAT IS THE INDICATION AND AUTHORIZED USE?** The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably. Although they may be manufactured in different facilities, the products offer the same safety and effectiveness.

COMIRNATY (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older. It is also authorized under EUA to be administered to provide: a two-dose

primary series in individuals 12 through 15 years; a third primary series dose in individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise; and a single booster dose in individuals: 65 years of age and older 18 through 64 years of age at high risk of severe COVID-19 18 through 64 years of age with frequent institutional or occupational exposure to SARS-CoV-2 a single booster dose to eligible individuals who have completed primary vaccination with a different authorized COVID-19 vaccine. Booster eligibility and schedule are based on the labeling information of the vaccine used for the primary series.

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to provide:

a two-dose primary series in individuals 12 years of age and older; a third primary series dose for individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise; and a single booster dose in individuals: 65 years of age and older 18 through 64 years of age at high risk of severe COVID-19 18 through 64 years of age with frequent institutional or occupational exposure to SARS-CoV-2 a single booster dose to eligible individuals who have completed primary vaccination with a different authorized COVID-19 vaccine. Booster eligibility and schedule are based on the labeling information of the vaccine used for the primary series.

EUA Statement Emergency uses of the vaccine have not been approved or licensed by FDA, but have been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) in individuals 12 years of age and older. The emergency uses are only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner. Please see EUA Fact Sheet at [www.cvdvaccine-us.com](http://www.cvdvaccine-us.com).

**IMPORTANT SAFETY INFORMATION** Individuals should not get the Pfizer-BioNTech COVID-19 Vaccine if they:

had a severe allergic reaction after a previous dose of this vaccine had a severe allergic reaction to any ingredient of this vaccine

Individuals should tell the vaccination provider about all of their medical conditions, including if they:

have any allergies have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart) have a fever have a bleeding disorder or are on a blood thinner are immunocompromised or are on a medicine that affects the immune system are pregnant, plan to become pregnant, or are breastfeeding have received another COVID-19 vaccine have ever fainted in association with an

injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

There is a remote chance that the vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, vaccination providers may ask individuals to stay at the place where they received the vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include difficulty breathing, swelling of the face and throat, a fast heartbeat, a bad rash all over the body, dizziness, and weakness. If an individual experiences a severe allergic reaction, they should call 9-1-1 or go to the nearest hospital. Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. Individuals should seek medical attention right away if they have any of the following symptoms after receiving the vaccine: chest pain, shortness of breath, feelings of having a fast-beating, fluttering, or pounding heart. Side effects that have been reported with the vaccine include: severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); decreased appetite, diarrhea; vomiting; arm pain; fainting in association with injection of the vaccine. These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The possible side effects of the vaccine are still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Data on administration of this vaccine at the same time as other vaccines has not yet been submitted to FDA. Individuals considering receiving this vaccine with other vaccines, should discuss their options with their healthcare provider.

Patients should always ask their healthcare providers for medical advice about adverse events. Individuals are encouraged to report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <http://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, side effects can be reported to Pfizer Inc. at [www.pfizersafetyreporting.com](http://www.pfizersafetyreporting.com) or by calling 1-800-438-1985.

Please click [here](#) for full Prescribing Information (16+ years of age). Please click [here](#) for Fact Sheet for Vaccination Providers (12+ years of age). Please click [here](#) for the Recipients and Caregivers Fact Sheet.

About Pfizer: Breakthroughs That Change Patients' Lives At Pfizer, we apply science and our global resources to bring therapies to people that extend and significantly improve their lives. We strive to set the standard for quality, safety and value in the discovery, development and manufacture of health care products, including innovative medicines and vaccines. Every day, Pfizer colleagues work across developed and emerging markets to advance wellness, prevention, treatments and cures that challenge the most feared diseases of our time. Consistent with our responsibility as one of the world's premier innovative biopharmaceutical companies, we collaborate with health care providers, governments and local communities to support and expand access to reliable, affordable health care around the world. For more than 170 years, we have worked to make a difference for all who rely on us. We routinely post information that may be important to investors on our website at [www.Pfizer.com](http://www.Pfizer.com). In addition, to learn more, please visit us on [www.Pfizer.com](http://www.Pfizer.com) and follow us on Twitter at @Pfizer and @Pfizer News, LinkedIn, YouTube and like us on Facebook at [Facebook.com/Pfizer](https://www.facebook.com/Pfizer).

**Pfizer Disclosure Notice** The information contained in this release is as of October 21, 2021. Pfizer assumes no obligation to update forward-looking statements contained in this release as the result of new information or future events or developments.

This release contains forward-looking information about Pfizer's efforts to combat COVID-19, the collaboration between BioNTech and Pfizer to develop a COVID-19 vaccine, the BNT162 mRNA vaccine program and COMIRNATY (COVID-19 Vaccine, mRNA) (BNT162b2) (including potential of booster doses, qualitative assessments of available data, potential benefits, expectations for clinical trials, the anticipated timing of data readouts, regulatory submissions, regulatory approvals or authorizations and anticipated manufacturing, distribution and supply) involving substantial risks and uncertainties that could cause actual results to differ materially from those expressed or implied by such statements. Risks and uncertainties include, among other things, the uncertainties inherent in research and development, including the ability to meet anticipated clinical endpoints, commencement and/or completion dates for clinical trials, regulatory submission dates, regulatory approval dates and/or launch dates, as well as risks associated with preclinical and clinical data (including the Phase 3 data), including the possibility of unfavorable new preclinical, clinical or safety data and further analyses of existing preclinical, clinical or safety data; the ability to produce comparable clinical or other results, including the rate of vaccine effectiveness and safety and tolerability profile

observed to date, in additional analyses of the Phase 3 trial and additional studies or in larger, more diverse populations following commercialization; the ability of BNT162b2 to prevent COVID-19 caused by emerging virus variants; the risk that more widespread use of the vaccine will lead to new information about efficacy, safety, or other developments, including the risk of additional adverse reactions, some of which may be serious; the risk that preclinical and clinical trial data are subject to differing interpretations and assessments, including during the peer review/publication process, in the scientific community generally, and by regulatory authorities; whether and when additional data from the BNT162 mRNA vaccine program will be published in scientific journal publications and, if so, when and with what modifications and interpretations; whether regulatory authorities will be satisfied with the design of and results from these and any future preclinical and clinical studies; whether and when submissions to request emergency use or conditional marketing authorizations for BNT162b2 in younger pediatric populations, applications for a potential booster dose and/or other biologics license and/or emergency use authorization applications or amendments to any such applications may be filed in particular jurisdictions for BNT162b2 or any other potential vaccines that may arise from the BNT162 program, and if obtained, whether or when such emergency use authorization or licenses will expire or terminate; whether and when any applications that may be pending or filed for BNT162b2 (including the potential submissions for younger pediatric populations, a potential booster dose or any other requested amendments to the emergency use or conditional marketing authorizations) or other vaccines that may result from the BNT162 program may be approved by particular regulatory authorities, which will depend on myriad factors, including making a determination as to whether the vaccine's benefits outweigh its known risks and determination of the vaccine's efficacy and, if approved, whether it will be commercially successful; decisions by regulatory authorities impacting labeling or marketing, manufacturing processes, safety and/or other matters that could affect the availability or commercial potential of a vaccine, including development of products or therapies by other companies; disruptions in the relationships between us and our collaboration partners, clinical trial sites or third-party suppliers; the risk that demand for any products may be reduced or no longer exist; risks related to the availability of raw materials to manufacture a vaccine; challenges related to our vaccine's formulation, two-dose schedule and attendant storage, distribution and administration requirements, including risks related to storage and handling after delivery by Pfizer; the risk that we may not be able to successfully develop other vaccine formulations, booster doses or new variant-specific vaccines; the risk that we may not be able to create or scale up manufacturing capacity on a timely basis or maintain access to logistics or supply channels

commensurate with global demand for our vaccine, which would negatively impact our ability to supply the estimated numbers of doses of our vaccine within the projected time periods as previously indicated; whether and when additional supply agreements will be reached; uncertainties regarding the ability to obtain recommendations from vaccine advisory or technical committees and other public health authorities and uncertainties regarding the commercial impact of any such recommendations; challenges related to public vaccine confidence or awareness; uncertainties regarding the impact of COVID-19 on Pfizer's business, operations and financial results; and competitive developments.

A further description of risks and uncertainties can be found in Pfizer's Annual Report on Form 10-K for the fiscal year ended December 31, 2020 and in its subsequent reports on Form 10-Q, including in the sections thereof captioned "Risk Factors" and "Forward-Looking Information and Factors That May Affect Future Results", as well as in its subsequent reports on Form 8-K, all of which are filed with the U.S. Securities and Exchange Commission and available at [www.sec.gov](http://www.sec.gov) and [www.pfizer.com](http://www.pfizer.com).

About BioNTech Biopharmaceutical New Technologies is a next generation immunotherapy company pioneering novel therapies for cancer and other serious diseases. The Company exploits a wide array of computational discovery and therapeutic drug platforms for the rapid development of novel biopharmaceuticals. Its broad portfolio of oncology product candidates includes individualized and off-the-shelf mRNA-based therapies, innovative chimeric antigen receptor T cells, bi-specific checkpoint immunomodulators, targeted cancer antibodies and small molecules. Based on its deep expertise in mRNA vaccine development and in-house manufacturing capabilities, BioNTech and its collaborators are developing multiple mRNA vaccine candidates for a range of infectious diseases alongside its diverse oncology pipeline. BioNTech has established a broad set of relationships with multiple global pharmaceutical collaborators, including Genmab, Sanofi, Bayer Animal Health, Genentech, a member of the Roche Group, Regeneron, Genevant, Fosun Pharma, and Pfizer. For more information, please visit [www.BioNTech.de](http://www.BioNTech.de).

**BioNTech Forward-looking Statements** This press release contains "forward-looking statements" of BioNTech within the meaning of the Private Securities Litigation Reform Act of 1995. These forward-looking statements may include, but may not be limited to, statements concerning: BioNTech's efforts to combat COVID-19; the collaboration between BioNTech and Pfizer including the program to develop a COVID-19 vaccine and COMIRNATY (COVID-19 Vaccine, mRNA) (BNT162b2) (including a potential booster dose and emergency use authorization in the U.S. of a booster dose for individuals 65 years of age and older, individuals 18 through 64 years of age at high risk of severe COVID-19,



and individuals 18 through 64 years of age who have frequent institutional or occupational exposure to SARS-CoV-2; qualitative assessments of available data; potential benefits; expectations for clinical trials; the anticipated timing of regulatory submissions; regulatory approvals or authorizations and anticipated manufacturing, distribution and supply); our expectations regarding the potential characteristics of BNT162b2 in our clinical trials and/or in commercial use based on data observations to date; the ability of BNT162b2 to prevent COVID-19 caused by emerging virus variants; the expected time point for additional readouts on efficacy data of BNT162b2 in our clinical trials; the nature of the clinical data, which is subject to ongoing peer review, regulatory review and market interpretation; the timing for submission of data for, or receipt of, any marketing approval or Emergency Use Authorization; and the ability of BioNTech to supply the quantities of BNT162 to support clinical development and market demand, including our production estimates for 2021. Any forward-looking statements in this press release are based on BioNTech's current expectations and beliefs of future events, and are subject to a number of risks and uncertainties that could cause actual results to differ materially and adversely from those set forth in or implied by such forward-looking statements. These risks and uncertainties include, but are not limited to: the ability to meet the pre-defined endpoints in clinical trials; competition to create a vaccine for COVID-19; the ability to produce comparable clinical or other results, including our stated rate of vaccine effectiveness and safety and tolerability profile observed to date, in the remainder of the trial or in larger, more diverse populations upon commercialization; the ability to effectively scale our production capabilities; and other potential difficulties.

For a discussion of these and other risks and uncertainties, see BioNTech's Annual Report as Form 20-F for the Year Ended December 31, 2020, filed with the SEC on March 30, 2021, which is available on the SEC's website at [www.sec.gov](http://www.sec.gov). All information in this press release is as of the date of the release, and BioNTech undertakes no duty to update this information unless required by law.

View source version on businesswire.com:

<https://www.businesswire.com/news/home/20211021005491/en/>

Pfizer: Media Relations +1 (212) 733-1226 [PfizerMediaRelations@pfizer.com](mailto:PfizerMediaRelations@pfizer.com)

Investor Relations +1 (212) 733-4848 [IR@Pfizer.com](mailto:IR@Pfizer.com)

BioNTech: Media Relations Jasmina Alatovic +49 (0)6131 9084 1513 [Media@biontech.de](mailto:Media@biontech.de)

Investor Relations Sylke Maas, Ph.D. +49 (0)6131 9084 1074 Investors@biontech.de

Source: Pfizer Inc.