



New Online Community, Quitter's Circle, Helps Smokers Trade Cigarettes for Real-Time Support

Tuesday, June 23, 2015 - 04:00am

“Smoking is the leading preventable cause of premature disease and death in the United States,³ yet we found that only half of smokers had spoken to a doctor about quitting,¹”

The American Lung Association and Pfizer (NYSE:PFE) today announced the launch of Quitter's Circle, a mobile app and online community designed to help smokers face common obstacles associated with quitting through educational, social and financial support. Within a few clicks, smokers can start a quit team with friends and family, find resources to connect with a healthcare provider and crowdsource funds to support the cost of a quit attempt.

A recent survey explored barriers that prevent people from successfully quitting smoking and found that 85 percent of current smokers express worry about the health consequences of smoking, but only 36 percent of them have a plan in place to quit.¹ A quit plan is often designed in consultation with a healthcare provider and clinician advice and support can double the odds of successfully quitting smoking.²

"Smoking is the leading preventable cause of premature disease and death in the United States,³ yet we found that only half of smokers had spoken to a doctor about quitting,¹" said Dr. Albert Rizzo, Senior Medical Advisor of the American Lung Association. "Quitter's Circle provides tips and information to help smokers reach their quit goal. Users can also access resources to connect with a healthcare provider, including a live conversation with a board-certified doctor online or on a mobile device."

In addition to healthcare provider guidance, another unmet need in quitting is social support. When quitting smoking, smokers are often advised to avoid people, places and activities that remind them of cigarettes.⁴ However, according to the survey, 80 percent of smokers who are trying to quit reported that support from others, including friends, family, significant others and coworkers, is very important to successfully quitting.¹ Friends and family can offer motivation and support to help a smoker stay strong during their quit journey.

“One of the many features that makes this initiative different is that Quitter’s Circle enables smokers to personalize a quit attempt with a team of supporters that might include friends, family and a healthcare provider,” said Rory O’Connor, Senior Vice President, Global Medical Affairs, Global Innovative Pharma Business, Pfizer Inc.

“Supporters can join Quit Teams, so if you are supporting someone on their journey, you can track their progress, offer inspiration and even receive alerts when they need some support.”

Additionally, smokers may need help when it comes to the financial impact of quitting.¹ Through the mobile app, smokers can access a resource to start a Quit Fund, allowing their supporters to help with the cost of quitting smoking, including visits with a doctor, counseling and treatment options. If a smoker does not need financial support with the quitting process, a Quit Fund can be used to celebrate a quitting milestone, a critical motivator in staying quit.

If you or someone you know want to quit smoking, download the Quitter’s Circle app, available on Android and Apple smartphones and the Apple Watch. For information and tips to help on the journey to quit, visit QuittersCircle.com or join the Quitter’s Circle community at [Facebook.com/QuittersCircle](https://www.facebook.com/QuittersCircle) and [@QuittersCircle](https://twitter.com/QuittersCircle) on Twitter.

About the Survey

The survey was conducted using the online omnibus field services of TNS, a global research organization that is part of Kantar, an insight, information and consultancy group, between April 2 and April 6, 2015. It included 2,500 Americans, aged 18+ regardless of their smoking status. Of the 2,500 respondents, 19 percent identified themselves as current smokers, defined as those who smoke daily or occasionally, and six percent identified as currently trying to quit. Data for this survey were tested for statistical difference at a confidence level of 95 percent with a margin of error of ± 1.9 percent.

About the American Lung Association

The American Lung Association is the leading organization working to save lives by improving lung health and preventing lung disease, through research, education and advocacy. The work of the American Lung Association is focused on four strategic imperatives: to defeat lung cancer; to improve the air we breathe; to reduce the burden of lung disease on individuals and their families; and to eliminate tobacco use and tobacco-related diseases. For more information about the American Lung Association, a holder of the Better Business Bureau Wise Giving Guide Seal, or to support the work it does, call 1-800-LUNGUSA (1-800-586-4872) or visit: Lung.org.

Pfizer Inc.: Working together for a healthier world®

At Pfizer, we apply science and our global resources to bring therapies to people that extend and significantly improve their lives. We strive to set the standard for quality, safety and value in the discovery, development and manufacture of health care products. Our global portfolio includes medicines and vaccines as well as many of the world's best-known consumer health care products. Every day, Pfizer colleagues work across developed and emerging markets to advance wellness, prevention, treatments and cures that challenge the most feared diseases of our time. Consistent with our responsibility as one of the world's premier innovative biopharmaceutical companies, we collaborate with health care providers, governments and local communities to support and expand access to reliable, affordable health care around the world. For more than 150 years, Pfizer has worked to make a difference for all who rely on us. To learn more, please visit us at www.pfizer.com.

1 TNS. Express Online Omnibus - Cigarette Smoking. Survey. 2 April 2015 - 6 April 2015. Data on file.

2 Fiore MC, Jaén CR, Baker TB, Bailey WC, Benowitz NL, Curry SJ, Dorfman SF, Froelicher ES, Goldstein MG, Froelicher ES, Heaton CG, et al. Treating Tobacco Use and Dependence: 2008 Update—Clinical Practice Guidelines. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, Agency for Healthcare Research and Quality, 2008.

3 U.S. Department of Health and Human Services. The Health Consequences of Smoking—50 Years of Progress: A Report of the Surgeon General. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2014.

4 U.S. Department of Health and Human Services. Quit Day: 5 Steps. U.S. Department of Health and Human Services, Smokefree.gov, 2015.

American Lung Association Media Contact: Allison MacMunn, 312-801-7628
Media@Lung.org or Pfizer Media Contact: Steven Danehy, 212-733-1538
Steven.Danehy@pfizer.com